

The organic Multi-Absorber – safe - fast - efficient!



Guiding principle

- ⇒ Efficiency is the measuring pole of our action
- ⇒ „living“ cooperation
- ⇒ Focus on quality
- ⇒ Loyal, open, faithful
- ⇒ Founded in spring 2017
- ⇒ Sales persons: 6
- ⇒ Existing backoffice
- ⇒ Registered trade mark since autumn 2018



Product presentation

SORB[®]XT
safe | efficient | fast

Type I, II, III-R
fulfills the requirements of the DWA-A 716

Performance properties

Sorb^{®XT} is 100% organic. It can be used for leakages of many substances. There are no negative effects on human beings, animals or environment.



SORB^{®XT}

- ➔ Volume:
 - ➔ absorbs up to **70% of its own volume (50L/7,5 kg/15 lbs-bag absorbs < 33 Liter)**
- ➔ Weight:
 - ➔ absorbs within a few seconds up to **four times of its own weight (50 L/7,5 kg/15 lbs-bag absorbs up to 28kg/58 lbs)**
- ➔ has an absorption capacity of 100% and can be reused
- ➔ has less weight and therefore it is very easy to handle.

Application

Sorb^{®XT} can be used on every surface.
(approved by the MPA-institute, Germany)

Type I: approved for use of water, also
flowing water

Type II: on smaller bodies of water and
usual grounds

Type III: industrial or special grounds

„R“: certified skid resistance of 97%
(required: 80%)

SF: special formats
(e.g. pillows and pipes)



Surfaces:

- ➔ Asphalts and usual grounds
- ➔ Industrial and special grounds
- ➔ Water
- ➔ Contaminated soils

Application

- ➔ Safe!
- ➔ Fast!
- ➔ Efficient!
- ➔ After application a skid resistance of 97%.

CHEMICALS & EMULSIONS

100% ABSORPTION:
Alcohols, fungicides, polymers, organic solvents, turpentine, ether

OILS & LUBRICANTS


100% ABSORPTION:
Oils like crude oil, heating oil, hydraulic oil, mineral oil, engine oil, kitchen oil, lubricants, liquid paraffin, petroleum

FUELS

100% ABSORPTION:
Benzines, diesel, kerosene, marine diesel

PAINTS & OTHERS

100% ABSORPTION:
colours and paints, dyes, brake fluids, deicing agents, coolants, extinguishing foam, blood



Fields of application



- ➔ Last time when I was flying back from Birmingham...
- ➔ imagine the start
- ➔ SORB[®]XT would help

Fields of application, here: tank cleaning

before



after 20 sec SORB^{XT} *



* only help: pair of gloves

- ➔ Tank cleaner had taken a bucket and a pair of gloves and returned only 2 minutes later:
- ➔ “Torsten. Look what I have been doing....very easy to clean the ground from the 20 year old sludge!”

Fields of application, here: wall cleaning*

before



after 24h Stain Solution



- ➔ Put the paste on the stains of hydraulic oil
- ➔ Wait for 12 – 24 hours
- ➔ Clean it with a steel brush
- ➔ See the result

Application

➔ What kind of substances ?

Sorb[®]XT absorbs

- Oils
- Fuels
- Chemicals
- Emulsions, if non-stabilized
- Paints and Coatings
- Polymers, Polymer Emulsions, Floccuants
- Fungicides
- Primers and Resins, Adhesives
- Anti-Freezers, De-Icing Agents, Brake Fluids, Coolants
- Sodium Hydroxide
- Acrylic Acid
- Hydrophobic Solvents
- Dyes
- Fire Fighting Foams
- Blood
- ...and more

Areas of Application



- ➔ Automobile Clubs
- ➔ Automobile and train
- ➔ IndustriesAutomotives
- ➔ Big Industries, Steel Companies
- ➔ Chemical Industries/- Resellers
- ➔ Coast Guards
- ➔ Energy, Oil and Gas
- ➔ Environmental Companies
- ➔ Fire Departments
- ➔ Garages
- ➔ Incinerators
- ➔ Maintenances industrial/roads
- ➔ Metal Industry
- ➔ Mining
- ➔ OEMs
- ➔ Petrol Stations
- ➔ Police
- ➔ Pulp & Paper
- ➔ Refineries
- ➔ Seaports and Airports
- ➔ Shipyards
- ➔ Sewage Water Treatments



Non-toxic and 100% organic

- ➔ The absorbent is non-toxic and has **no negative effect** on human beings, animals or environment.
- ➔ It fulfills all requirements of the Federal Ministry for Environment, Nature Conservation and Nuclear Safety, Germany.

Test reports

- ➔ Calorific Value Analysis
- ➔ Total Organic Carbon
- ➔ MPA Test Certificate
- ➔ Hygiene test report



Request Documents at:
service@sorb-global.de

Chemical List and Safety Data Sheet

Substance	Chem. Formula	Substance (category)	Chem. Formula
Acetone		Acetone	C ₃ H ₆ O
Adhesive		Alcohol	C ₂ H ₅ O
AIR-Fluid		Amyl Acetate	C ₈ H ₁₆ O ₂
Battery Acid	H ₂ SO ₄	Buanol	C ₄ H ₁₀ O
Benzoin/Balsam		2-Butanone	C ₄ H ₈ O
Benzen	C ₆ H ₆	Butyric Acid	C ₄ H ₈ O ₂
Bleed		BUTYL Acetate	C ₈ H ₁₆ O ₂
Brake Fluid	C ₄ H ₁₀	Chloroethane	CH ₃ CH ₂ Cl
Butyraldehyde		Chloroform	CHCl ₃
Diesel, Aviation & Shipping Fuels		Cyanhydrin Acid	C ₂ H ₃ O ₂
Ethyl Acetate		Cydohexane	C ₆ H ₁₂
Extinguishing Foam		Dichloroethane	C ₂ H ₄ Cl ₂
Fluorid Oil		Dichlorobenzene	C ₆ H ₄ Cl ₂
Hydraulic Oil		Diphenyl Ether	C ₁₂ H ₁₀ O
Isobutane		EB-Benzene	C ₆ H ₆
Isopropyl Alcohol		n-Heptane	C ₇ H ₁₆
Kitchen Oil		Hexachlorobenzene	C ₆ H ₆ Cl ₆
Lamp Oil		Hexachlorocyclopentadiene	C ₅ H ₆ Cl ₆
Liquid Paraffin		Isopropanol	C ₃ H ₈ O
Methanol		Isopropanol Alcohol	C ₃ H ₈ O
Sodium Sulfate		Isopropanol	C ₃ H ₈ O
n-Butane		Methylal	C ₂ H ₆ O
Oil- & water based		Naphthalene	C ₁₀ H ₈
Paints & Resins		Nitrobenzene	C ₆ H ₅ NO ₂
Oil-based coolants & Cutting Fluids		Nitrochlorobenzene	C ₆ H ₄ ClNO ₂
Oil-based Lubricants		Phenol	C ₆ H ₅ O
Paints Oil		Toluene	C ₇ H ₈
Petroleum		Toluene	C ₇ H ₈
Petroleum		Toluene	C ₇ H ₈
Raw/Crude Oil & Heavy Oil		Toluene	C ₇ H ₈
Universal Thinner		Toluene	C ₇ H ₈

Safety Data Sheet 1907/2008/EC - REACH (GB)
SORB

Allegro Capital, Logistics & More GmbH
47877 Willich
Date printed 08.05.2018, Revision 28.07.2017

Version 01 Page 1/8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier
 RPAC: SORB
 ENECSELNCS: 310-127-6

1.2 Relevant identified uses of the substance or mixture and uses advised against
 1.2.1 Relevant uses: Oil binding agent

1.2.2 Uses advised against: None known.

1.3 Details of the supplier of the safety data sheet
 Company: Allegro Capital, Logistics & More GmbH
 Lindestraße 27
 47877 Willich | 53244MAY
 Phone +49(0)2154 915-700
 Fax +49(0)2154 915-584
 Homepage www.sorb-global.de
 Email info@sorb-global.de

Address enquiries to
 Technical information: info@sorb-global.de
 Safety Data Sheet: sds@sorb-global.de

1.4 Emergency telephone number
 Company: +49(0)2154 915-700

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture (REGULATION (EC) No 1272/2008)
 No classification.

2.2 Label elements
 The product does not require a hazard warning label in accordance with GHS/GLP-directives.
 Signal word: none
 Hazard statements: none
 Precautionary statements: none

2.3 Other hazards
 Physico-chemical hazards: In the supplied form the product is not explosive at all; however the build-up of fine dust can lead to a risk of dust explosion.
 Environmental hazards: Does not contain any PBT or pHB substances.
 Other hazards: Further hazards were not determined with the current level of knowledge.

www.chemiebau.de, Phone +49 (0)2154 915-700, 190712
ap00001 08

Request Documents at:
service@sorb-global.de

SORB^{®XT} is your all-rounder and almost applicable at every place.

The organic absorbent complements all safety concepts in industry, trade and logistics. At every place where measures are seized to care for **healthiness and work safety** SORB^{®XT} guarantees a complete protection.



SORB[®]XT Product range

SORB[®]XT is audited for application on water, roads and usual grounds; Type I, II, III-R SF

SORB[®]XT Sachet

- ➔ 0,5L
- ➔ 2,0L
- ➔ 5,0L



SORB[®]XT Bucket

- ➔ 10L



SORB[®]XT Bag

- ➔ 50L



SORB[®]XT Box

- ➔ 250L Box
- ➔ 500L Box
- ➔ 750L Box



SORB[®]XT Cube

- ➔ 5.500L, pressed, ca. 3,2 m³



SORB[®]XT Special Formats

- ➔ Pillow
- ➔ Pipe



SORB[®]XT Product-Portfolio, new products

➔ SORB[®]XT QC


Quick Container

- ➔ Including the SORB XT Safety-Kit
- ➔ Maximum volume: 3,0L (e.g.. oils and fuels)
- ➔ reusable
- ➔ Perfect for preventive measures

➔ SORB[®]XT BC

Barrel Cover

- ➔ Different dimensions



SORB[®]XT Product-Portfolio

SORB[®]XT DCR Drain Cover Ring

- Self-adhesive
- Lockable and reusable
- Easy transport
- 2 sizes



SORB[®]XT DCM Drain Cover Mat

- Self-adhesive
- Squared, round
- Reusable
- Easy transport



SORB[®]XT RM Rail Mat

- Roll of 25m
- PP plus special foil underneath
- Fits between two tracks, width: 1,42m
- Different dimensions/options



SORB[®]XT PP Oil Barrier Curtain

- Polypropylene
- connectable
- Barrier and absorber
- Also for prevention
- Lengths: 3/5/10m



SORB[®]XT PP Oil Barrier

- Polypropylene
- Connectable
- Barrier and absorber
- Also for prevention
- Ø 130mm: 3 und 5m long
- Ø 200mm:
Length of 3/5/10/25m:



Fields of Application STAIN SOLUTION PRO



Fields of Application STAIN SOLUTION PRO



Coming soon!

➔ **Peko XT**



➔ **Quick Container ESD**



Service & Sales

True to our vision we offer more than just „the product“.

Our services and our sales structure guarantee added values to our partners

- ⇒ NO prices online!
- ⇒ Direct customer support
- ⇒ Training days and ongoing trainings.
- ⇒ Marketing support
- ⇒ Private labeling
- ⇒ Logistics and distribution

Transport & Logistics

As a medium-sized family-owned company we have been being globally on the move on behalf of our customers for more than 40 years now. We are aware of the different circumstances of the respective countries and adjust flexibly to every situation on site. Many of our customers - among which there are renowned large companies as well – trust our competence and have been working together with ITC for many years already.

Regarding logistics please contact:



Ulrich Kerksiek
Sales Manager ITC

☎ +49 2154 815 746
📠 +49 2154 815 846
@ uk@itc-logistic.com



Company Information

ITC Logistic GmbH

Established: January 1st, 1975

Company's Structure

- ⇒ Medium-sized,
- ⇒ Owner-managed
- ⇒ Owner:
Wolf-Peter Korth
(also Executive Partner of Allegro Capital,
Logistics & More GmbH)
- ⇒ Executive Partner ITC:
Helena Peters
- ⇒ Consolidated Independent

Company's Figures

- ⇒ 350 employees
- ⇒ Expected revenue 2018: 68 Mio €

Service Portfolio



Service	Portfolio	Destination / Location
Road Freight	Groupage, FTL, LTL, Express, Dangerous Goods, Customs Clearance	Europe-wide, parts of Asia, North Africa
Air Freight	Consolidation Shipment, Door-Door, Express, Charter, Dangerous Goods, Customs Clearance	Worldwide
Rail Freight	Groupage, LCL, FCL, Focus: Speed Train (China), Customs Clearance	Eurasia, Focus on China
Customs	Consultation, Customs Clearance, Fiscal (Tax) Representation, Digital Customs Clearance via ATLAS (DE), EU Customs Clearance, Neutralisation of Documents	Worldwide
See Freight	LCL, FCL, document Issues, Customs Clearance	Worldwide
Logistics	Contract Logistics, Smart Logistics, Warehouse Logistics , Merchandise Management , IT Networking, After-Sales-Service, Reworks, Technical Service,	Germany
Warehouse	Block Warehouse, High-Bay Warehouse, Small Parts Warehouse, Safety Warehouse, High Availability Warehouse, Bonded Warehouse	Europe
Packaging	Constructive Packaging -> ITC Konpack: Consultation, Development and Design, Prototype Building, Packaging Optimisation	Worldwide



Product videos

The screenshot shows the YouTube channel page for 'Allegro Capital, Logistics & More - SORB XT' with 14 subscribers. The channel name is 'Allegro Capital, Logistics & More - SORB XT' and it has 14 subscribers. The page features a navigation bar with 'ÜBERSICHT', 'VIDEOS', 'PLAYLISTS', 'KANÄLE', and 'KANALINFO'. Below the navigation bar, there are two buttons: 'KANAL ANPASSEN' and 'CREATOR STUDIO'. The main content area displays a grid of 12 video thumbnails, each with a title and view count. The videos are:

- SORB XT vs. Acryllack (34 Aufrufe • vor 1 Monat)
- SORB XT vs. Frostschutz (14 Aufrufe • vor 1 Monat)
- SORB XT vs. Hydrauliköl (37 Aufrufe • vor 1 Monat)
- SORB XT vs. Pinselreiniger (13 Aufrufe • vor 1 Monat)
- SORB XT vs. Öl auf Wasser (68 Aufrufe • vor 1 Monat)
- SORB XT vs. Kettensägenöl (12 Aufrufe • vor 1 Monat)
- SORB XT vs. Flockungsmittel (16 Aufrufe • vor 1 Monat)
- SORB XT vs. Diesel (8 Aufrufe • vor 1 Monat)
- SORB XT vs. Altes Motoröl (26 Aufrufe • vor 1 Monat)
- SORB XT vs. Bremsflüssigkeit (23 Aufrufe • vor 1 Monat)
- SORB XT (1 Aufruf • vor 1 Monat Privat)
- SORB XT vs. Herkömmliches Bindemittel (331 Aufrufe • vor 7 Monaten)



or

www.sorb-global.de
www.sorb-global.com



Thanks for your attention!

Torsten Narawitz

Head of Sales

☎ +49 2154 815 746

📠 +49 2154 815 846

@ torsten.narawitz@sorb-global.de

**Allegro Capital,
Logistics, Services & More GmbH**
Klosterhofweg 64
41199 Mönchengladbach, Germany

☎ +49 2154 815-700

📠 +49 2154 815-846